

CoaChrom[®] Soybean Trypsin Inhibitor

for Amidolytic Assays of alpha-2-macroglobulin



PRODUCT DESCRIPTION

Soybean Trypsin Inhibitor reagent is a lyophilized preparation containing approximately 20mg of soybean trypsin inhibitor, 0,18mg mannitol and buffer salts.

INTENDED PURPOSE

Soybean Trypsin Inhibitor is prepared for use in COA0041, amidolytic assays of alpha-2-macroglobulin.

STORAGE

The lyophilized reagent should be stored at 4°C until reconstituted.

RECONSTITUTION

For use in amidolytic substrate assays, dissolve in 10ml sterile and distilled water, and store at 4°C until required.

STABILITY

The lyophilized reagent is stable at 4°C until the expiry date on the vial. The reconstituted reagent should be stored at 4°C and used within 8 hours. It may be stored in aliquots at -70°C, if snap frozen immediately after reconstitution, but must be used within 6 months.

CATALOGUE NUMBER: COA0023

CoaChrom Diagnostica GmbH

Hauptstrasse 5, 2344 Maria Enzersdorf, Austria

info@coachrom.com, www.coachrom.com

T: +43-1-236 222 1, F: +43-1-236 222 111

Toll free from Germany:

T: 0800-246 633 0, F: 0800-246 633 3

THIS PRODUCT IS FOR RESEARCH USE ONLY

NOT FOR HUMAN DIAGNOSTIC USE