

Factor IX (Human)

0.50 mg

Ref#: HF9
Lot#: xxxxxx
Exp. Date: xxxx-xx



Store at +2 to +8°C

For Research Use Only
Not for Use in Diagnostic Procedures
For *in vitro* Use Only

Description:	Factor IX (Human)
Format:	Lyophilized in 20 mM Tris-HCl / 0.1 M NaCl / 1 mM Benzamidine / pH 7.3
Host:	Human
Storage:	Store between +2 and +8°C After reconstitution aliquot and freeze at ≤-60°C
Reconstitution:	We recommend hydrating the protein with sterile water to the original volume
Volume:	1 vial containing 0.382 mL
Total Protein:	0.50 mg
Concentration:	1.31 mg/mL before lyophilisation by Absorbance; Extinction Coefficient $E^{1\%}_{280} = 13.2$
Activity:	387.60 Plasma Equivalent Units (PEU)/mg
Molecular weight:	55,000 daltons

Coagulation Factor IX (FIX), also known as Christmas Factor, is a 55 kDa vitamin K-dependent glycoprotein synthesized in the liver and composed of a single polypeptide chain. FIX is present in plasma as a zymogen. When activated to FIXa by Factor XIa in the presence of calcium, thrombin and phospholipids, it forms an active complex with thrombin-activated FVIII:C, which is then able to convert FX into FXa. Factor IX may also be activated by the FVII-Tissue Factor complex. The normal F IX concentration in human plasma is about 4-5 µg/mL.

The purity on SDS-PAGE is >95 %. It shows no reduction upon incubation with 2-mercaptoethanol.

The above protein was purified from Human plasma that was tested and found negative by FDA accepted methods for Anti-HIV 1/2, Anti-HTLV I & II, HBsAg, Anti-HCV, Syphilis, HBC Ab, HIV-1 p24 Ag or HIV-1 RNA, HCV RNA and HBV RNA. Donors are screened for CJD (Creutzfeld-Jakob Disease).